
# **Constipation**

#### What Is It?





- <u>Some People</u>- have a bowel movement 2 times per day while others have 3 per week and this can be normal
- Stools- pass too slowly through the small intestines

## What are the symptoms?

• <u>Infrequent Stools</u>- that are hard or difficult to pass, also dry, feeling of the stool being in the rectum after a bowel movement

### Information:

- <u>Causes</u>- inadequate fluids, fiber, exercise, not going to the bathroom when you feel the urge, some medications, laxative overuse, depression, hyperthyroidism, and colon cancer
- **<u>Drink</u>** a minimum of 8 glasses of fluid per day
- Eat- 8 to 10 fiber foods per day, to begin slowly and build up
  - (See handout for foods high in fiber)
- <u>Laxatives</u>- should not be used long term can make the problem worse, your intestines need to function on their own, as well as absorption of foods and medications.
- High Fat Meal slow you down, promote hard stools
- <u>Caffeine</u>- can stimulate the muscles in the intestines, hot is best, or hot then cold stimulates the colon

### What Can I Do?

- <u>See your Health Care Provider</u>-especially if bloody or black stools, constipation that lasts more than 3 days, abdominal pain after passing the stool
- <u>Talk with a Registered Dietitian</u>- about fiber and fluids you may be restricted due to other diagnosis
- <u>Foods High in Fiber</u>- Whole Grain Breads, Pastas, Cereals, Fresh Fruits, Fresh Vegetables, Baked Beans, Blackeyed Peas, Vidalia Onions

